200400188

ARTHUR CONTRIBED STRATES OF ANTERIOR

TO ALL TO WHOM THESE: PRESENTS SHALL COME:

NASH Research Joundation

MUSTRIS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS PROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR CONDITIONING IT PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR THE VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. IN PUBLIC SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE RIGHTS. (34 STAT.

WHEAT, COMMON

'Steele-ND'

In Testimone Therest, I have hereunto set my hand and caused the seal of the Hint Enristy Issterlism Office to be affixed at the City of Washington, D.C. this fourteenth day of June, in the year two thousand and four.

Attest:

Commissioner
Plant Various Protection Oblica

screuer, Agricultur

CAPACITY OR TITLE

DATE

CAPACITY OR TITLE

Executive Director

DATE

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> **Plant Variety Protection Office** Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;

(3) evidence of uniformity and stability; and

- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively:
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

USA - Released as a named cultivar, January 15, 2004.

First sale of seed to ND Crop Improvement Association for initial seed increase, March 22, 2004.

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

'Parshall' wheat is a component of this variety and received Plant Variety Protection in USA - Certificate No. 200000212 on April 24, 2001 by the NDSU Research Foundation. (See Attached Sheet)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705.

Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marifal or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or cell 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

ST-470 (02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of ST-470, which are obsolete.

23. Continued

'Grandin' wheat is a component of this variety and received Plant Breeders' Rights Protection in Canada - Certificate No. 0046 on August 25, 1993 by the North Dakota Agricultural Experiment Station.

'Glupro' wheat is a component of this variety and received Plant Variety Protection in USA – Certificate No. 9600155 on October 31, 1996 by the NDSU Research Foundation.

EXIBIT A – ORIGIN AND BREEDING HISTORY

'Steele-ND'

Fall 1996

Original cross was made at North Dakota State University (NDSU) Greenhouse at Fargo, ND.

Pedigree-PARSHALL/ND706

PARSHALL is a hard red spring wheat cultivar developed at NDSU and released by NDSU-AES in 1999 (PVP 200000212)

ND 706 is public breeding line derived from the cross GRANDIN/3/IAS20*4/H567.71//AMIDON/4/ND674

GRANDIN is a hard red spring wheat cultivar developed at NDSU and released by NDSU-AES in 1989

IAS20*4/H567.71 is public breeding line received from CIMMYT

AMIDON is a hard red spring wheat cultivar developed at NDSU and released by NDSU-AES in 1988

ND674 is public breeding line derived from the cross GRANDIN*2/ND 643

ND 643 is public breeding line released as "GLUPRO", a hard red spring wheat cultivar developed at NDSU and released by NDSU-AES in 1995. GLUPRO is derived from the cross "RL4352-1/T.dic//LEN". *Triticum dicoccoides* is the source of high protein and resistance to Fusarium Head Blight (FHB) Scab.

Spring 1997	F ₁ plants, NDSU Greenhouse.
-------------	---

Summer 1997	F ₂ plants EXP 22-67, NDSU research farm at Casselton: 200
*	1

heads were selected and threshed in bulk.

Fall 1997 F₃ bulk, NDSU Greenhouse Row #16. 10 heads selected

from selected row #16, threshed and bulked.

Summer 1998 F₄, Preliminary yield trial EXP 25 plot #572, NDSU research farm

at Casselton: 10 selected spikes were harvested and bulked.

Summer 1999 F₅, Intermediate Yield trials EXP 15# 1185, two locations, NDSU research farm at Casselton and Prosper at Prosper and Casselton.

	10 selected spikes were harvested and bulked and sent to Christchurch, New Zealand off-season winter nursery.	
Fall 1999-Spring	F ₆ , Generation advancement and seed increase and in Christchurch, New Zealand plot #00NZ3272	2000
Summer 2000	F ₇ Advanced Yield trial EXP 14 plot # 1069, two locations, NDSU research farm at Casselton and Prosper. Seed increase, NDSU research farm at Casselton (Drill strip Inc# 35),	
Summer 2001	F ₈ , statewide yield trial, 6 locations, NDSU Research and Extension Centers. Uniform Regional Hard Red Spring Wheat Nursery, 12 locations, North Dakota, South Dakota, Minnesota, Montana, and Canada. Experiment line designation- ND 741.	
Fall 2001-Spring	F ₉ , Generation advancement and seed purification in Christchurch, New Zealand	2002
Summer 2002	F ₁₀ , statewide yield trial, 6 locations, NDSU Research and Extension Centers. Uniform Regional Hard Red Spring Wheat Nursery, 12 locations, North Dakota, South Dakota, Minnesota, Montana, and Canada. Seed increase by Seedstocks project.	
Summer 2003	F ₁₁ , statewide yield trial, 6 locations, NDSU Research and Extension Centers. Uniform Regional Hard Red Spring Wheat Nursery, 4 locations in North Dakota. Second year seed increase by Seedstocks project.	
January 15, 2004	ND 741 was released as a named cultivar, Steele-ND.	
March 22, 2004	First sale seed of Steele-ND.	

Steele-ND was observed for eight crop cycles (F_4 - F_{11}) generations) from 1998 to 2003 and was stable and uniform within commercially acceptable limits for all traits described in Exhibit C. **Taller** plants variants (5-30 cm) at a frequency of 1/1,000 and **awnless** plant variants at a trace frequency of less than 1.5/10,000.

Steele-ND was developed using a modified pedigree and bulk methods. Selection criteria for the breeding of Steele-ND wheat were highly heritable traits (i.e. plant vigor and height, maturity, and pests resistance) in early segregating generations F₂-F₄. Starting at F₄ generation, selection criteria also included grain yield, lodging resistance, shattering resistance, test and kernel weights and bread making characters (grain protein, milling extraction, dough mixing, loaf volume, external and internal loaf appearance) started at F₆. Data used to evaluate line ND 741 that is named Steele-ND were

collected from numerous locations and across years. Overall, the selection criteria were a combination of traits used to identify a superior hard spring wheat genotype adapted to North Dakota wheat production with superior (compared to check cultivars) milling and bread-making properties for domestic and export markets. In this regard, Steele-ND was selected, particularly for its high yield, very good quality traits (milling and baking) as well as good level of resistance to *Fusarium* scab (FHB) close or comparable to Alsen.

EXHIBIT B – NOVELTY STATEMENT

To the best of my knowledge, Steele-ND most resembles Reeder, Alsen, Dapps, and Parshall HRS wheats. These cultivars can be unambiguously differentiated at the molecular level using microsatellite markers. The microsatellite loci we have used are described by Roder et al (1998). DNA fragment analysis was carried out on 6% non-denaturing polyacrylamide gel using ethidium bromide to detect the DNA fragments as described by Shi et al (2001). The procedure was repeated to confirm reproducibility of the results.




Figure 1: Microsatellite analysis to differentiate Steele-ND (lane 1) from Reeder (lane 2), Alsen (lane 3), Dapps (lane 4), and Parshall (lane 5). Lane 'M' is a molecular weight standard. (A) Microsatellite *Xgwm33*. Steele shows a band of ~120 bp whereas Reeder shows a band of ~125 bp. Alsen and Dapps shows a band of the same size as Steele. Parshall show a band at ~111bp. (B) Microsatellite *Xgwm493*. Steele-ND shows a band of ~162 bp whereas Reeder and Dapps show a band of ~197bp. Alsen and Parshall show a band at ~141bp.

References:

- Röder, M.S., Korzun, V., Wendehake, K., Plaschke, J., Tixier, M.H., Leroy, P., and Ganal, M.W. 1998. A microsatellite map of wheat. Genetics. 149:2007-2023
- Shi, J., Ward, R. and Wang, D. 2001. Application of a high throughput, low cost, non-denaturing polyacrylamide gel system for wheat microsatellite mapping. In Natl. Fusarium Head Blight Forum. Erlanger, KY. December 8-10, 2001. Edited by Canty, S.M., Lewis, J., Silver, L., and Ward, R.W. Kinko's Publisher, Okemos, MI.

instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT C (Wheat)

OBJECTIVE DESCRIPTION OF VARIETY WHEAT (Triticum spp.)

NAME OF APPLICANT(S)		
NDSU RESEARCH FOUNDA	7	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or RD No., City, State, and Zip Code)	2004 00 188	
NDSU RESEARCH FOUNDATION 1735, NDSU RESEARCH PARK	DRIVE	VARIETY NAME STEELE_ND
P.O. BOX 5002, FARGO, NI	·	TEMPORARY OR EXPERIMENTAL DESIGNATION ND 741
PLEASE READ ALL INSTRUCTIONS CAREFULLY: Place the appropriate Place a zero in the first box (e.g. 0 9 9 or 0 9) when number is either 90 minimum of 100 plants. Comparative data should be determined from varieties e be used to determine plant colors; designate system used:	ntered in the same trial. Royal Hort	ta for quantitative plant characters should be based on a cultural Society or any recognized color standard may
Please and	swer all questions for your variety; la	ck of response may delay progress of your application.
1. KIND:	2. VERNALIZATION:	
1=Common 2=Durum 3=Club 4=Other (SPECIFY):	1=Spring 2=Winter 3=Other (SPECII	?Y):
3. COLEOPTILE ANTHOCYANIN:	4 THE NEW TO BE A TOP OF	
1 = Absent 2 = Present	4. JUVENILE PLANT G	ROWTH: = Semi-erect 3 = Erect
5. PLANT COLOR (boot stage):	6. FLAG LEAF (boot sta	ge):
1 = Yellow-Green 2 = Green 3 = Blue-Green	1 = Erect 2 = Recurved	
	1 = Not Twisted 2 = Twisted	
	1 = Wax Absent 2 = Wax Present	
. EAR EMERGENCE:		
O 6 0 Number of Days (Average)		
Number of Days Earlier Than A Sen		*
Same as 2375	, 3	*
Number of Days Later Than ALSEN	* Relative to a DVDO	*
	Melauve to a r v r O-App	roved Commercial Variety Grown in the Same Trial

-470-6 (03-02) designed by the Plant Variety Protection Office with WordPerfect 9.0. Replaces S&T-470-6 (02-99) which is obsolete

2	Ó	0	4		0	0	Sec.	8	8
---	---	---	---	--	---	---	------	---	---

8.	ANTHER	COLOR:
----	--------	--------

1 = Yellow

2 = Purple

9. PLANT HEIGHT (from soil to top of head, excluding awns):

082

cm (Average)

05

cm Taller Than ALSEN

Same as

02

cm Shorter Than PAR SHALL

10. STEM:

A. ANTHOCYANIN

1

1= Absent

2 = Present

B. WAXY BLOOM

1

1 = Absent

2 = Present

C. HAIRINESS

(last internode of rachis)

2

1 = Absent

2 = Present

F. AURICLE

2

Anthocyanin

1 = Absent 2 = Present

3 = Semi-erect

2 = Semi-solid 3 = Solid

2 = Recurved

1 Hair

1 = Absent 2 = Present

11. HEAD (at Maturity):

A. DENSITY

2

1 = Lax

2 = Middense (Laxidense)

3 = Dense

B. SHAPE

1

1 = Tapering

2 = Strap

3 = Clavate

4 = Other (SPECIFY):_

C. CURVATURE

D. INTERNODE

E. PEDUNCLE

1 = Hollow

Number of Nodes

1 = Erect

cm Length



1 = Erect

2 = Inclined

3 = Recurved

D. AWNEDNESS

4

1 = Awnless

2 = Apically Awnletted

3 = Awnletted

4 = Awned

12. GLUMES (at Maturity):	
A. COLOR	E. BEAK WIDTH 2004 00 188
1 = White 2 = Tan 3 = Other (SPECIFY) :	2 1 = Narrow 2 = Medium 3 = Wide
B. SHOULDER	F. GLUME LENGTH
1 = Wanting 2 = Oblique 3 = Rounded 4 = Square 5 = Elevated 6 = Apiculate 7 = Other (SPECIFY):	2 1 = Short (ca. 7mm) 2 = Medium (ca. 8mm) 3 = Long (ca. 9mm)
C. SHOULDER WIDTH	G. WIDTH
1 = Narrow 2 = Medium 3 = Wide	3 = Narrow (ca. 3mm) 2 = Medium (ca. 3.5mm) 3 = Wide (ca. 4mm)
D. BEAK	
3 1 = Obtuse 2 = Acute 3 = Acuminate	
13. SEED	
A. SHAPE	E. COLOR
1 = Ovate 2 = Oval 3 = Elliptical	1 = White 2 = Amber 3 = Red 4 = Other (SPECIFY):
B. CHEEK	F. TEXTURE
1 = Rounded 2 = Angular	1 = Hard 2 = Soft 3 = Other (SPECIFY):
C. BRUSH	G. PHENOL REACTION (see instructions):
1 = Short 2 = Medium 3 = Long 1 = Not Collared 2 = Collared	1 = Ivory 4 = Dark Brown 2 = Fawn 5 = Black 3 = Light Brown
D. CREASE	H. SEED WEIGHT
1 = Width 60% or less of Kernel 2 = Width 80% or less of Kernel 3 = Width Nearly as Wide as Kernel	32 g/1000 seed (Whole number only)
1 = Depth 20% or less of Kernel 2 = Depth 35% or less of Kernel 3 = Depth 50% or less of Kernel	I. GERM SIZE 1 = Small 2 = Midsize 3 = Large


14.	Disease:	(0=Not Tested;	1=Susceptible;	2=Resistant;	3=Intermediate;	4=Tolerant	2004 0	mont C (W	neat)
	•	PLEA	ASE INDICATE T	HE SPECIFIC	RACE OR STRAIN	TESTED	Z004 0	0 18	8
2	rg+⊕QCC	t <i>(Puccinia gramini</i>	s f. sp. tritici)	[57]	Leaf Rust (Pucci Predominant	inia recondita	f. sp. tritici)	^	Trace
	Stripe Ru	St (Puccinia striifor	mis)	0	Loose Smut (Ust.				
3	Tan Spot Insensi	(Pyrenophora tritici	-repentis)	0	Flag Smut (Uroc	ystis agropyri)			
0	Halo Spot	: (Selenophoma don	acis)	0	Common Bunt (7	Tilletia tritici o	r T. laevis)		
1		odorum (Glume Blo	otch)	0	Dwarf Bunt (Till	etia controver.	sa)		•
0	Septoria a	venae (Speckled Lea	af Disease)	0	Karnal Bunt (Till	letia indica)			
0	Septoria tra	itici (Speckled Leaf	Blotch)	0	Powdery Mildew	(Erysiphe gra	minis f. sp. trit	ici)	
3	Scab (Fus Green ho	arium spp.) use and felo	d moculato	n. 0	"Snow Molds"				. *
3	"Black Poi	nt" (Kernel Smudge	e)	3	Common Root Ro Bipolaris spp.)	t (Fusarium,	Cochliobolus a	nd	
0	Barley Yell	low Dwarf Virus (B	YDV)	0	Rhizoctonia Root	Rot (Rhizocto	onia solani)		
0	Soilborne N	Mosaic Virus (SBM	v)	0	Black Chaff (Xan	thomonas cam	pestris pv. tran	slucens)	· ·
0	Wheat Yell	ow (Spindle Streak)	Mosaic Virus	0	Bacterial Leaf Blig syringae)	ght (Pseudom	onas syringae _I	ov.	
0	Wheat Stre	ak Mosaic Virus (V	VSMV)		Other (SPECIFY)	· .			· ·
	Other (SPE	CCIFY)			Other (SPECIFY)		/		
	Other (SPE	CCIFY)			Other (SPECIFY)				· · · · · · · · · · · · · · · · · · ·
	Other (SPE	CIFY)			Other (SPECIFY)			· · · · · · · · · · · · · · · · · · ·	
15. IN	SECT:	(0=Not Tested; 1	=Susceptible; 2	=Resistant;	3=Intermediate;	4=Tolerant)			
			PLEASE SPEC	IFY BIOTYP	E (where needed)			•	
0	Hessian Fly	(Mayetiola destructo			Other (SPECIFY)	<			
O	Stem Sawfly	(Cephus spp.)			Other (SPECIFY)		<u>/</u>		-
0	Cereal Leaf	Beetle <i>(Oulema mel</i>	anopa)		Other (SPECIFY)				-
0	Russian Aphi	id <i>(Diuraphis noxid</i>	i)		Other (SPECIFY)				

	THE COLUMN TO TH						Exhib	oit C (Wheat
15.	INSECT: Continued	(0=Not Tested;	1=Susceptible;	2=Resistant;	3=Intermediate;	4=Tolerant)		
		P	LEASE SPECIFY	BIOTYPE (w	here needed)	2004	00	188
D	Greenbug (Schiza	aphis graminum)		Ot	her (SPECIFY)			··
D	Aphids			Ott	her (SPECIFY)		·	
16.	ADDITIONAL INFOR	RMATION ON AN	Y ITEM ABOVE	OR GENERA	AL COMMENTS		·	

2004 00 188

WHEAT DESCRIPTOR ILLUSTRATIONS

Section numbers correspond to the numbers of the sections on the form.



REFERENCE

Briggle, L.W. and L.P. Reitz. 1963. <u>Classification of Triticum Species and of Wheat Varieties Grown in the United States</u>. Technical Bulletin 1278. United States Department of Agriculture.

EXHIBIT D - ADDITIONAL DATA

- 1. Steele-ND (ND 741) is high yielding cultivar with very good bread-making attributes based on 3 years (2001-2003) ND State trials data (Tables 5 and 6) and Wheat Quality Council 2002 trials (Tables 7-9). Steele-ND is moderately resistant to Fusarium head blight (FHB) scab disease (Table 10), resistant to stem and leaf rusts (Table 11 and 12), and moderate resistant to tan spot and moderate susceptible to Septoria (Table 13).
- 2. Steele-ND grain yield and agronomic traits during the years of 2001 and 2002 are included in Tables 1 and 2. Performance of Steele-ND in the 2001 and 2002 URN trials are reported in Tables 3 and 4.

Table 1. Grain yield of Steele –ND (ND 741) and selected HRSW cultivars in the 2001-2002 hard red spring wheat variety trials at North Dakota Agricultural Research Extension Centers.

Variety	Hettinger	Dickinson	North Central	Carrie	Carrington		
or line	(5) 2002			Dryland	Irrigated	Langdon	
			bu/ac				
<u>Semi dwarf</u>							
AC Superb		42.65	58.4	37.9	52.25	60.65	
Alsen	25.8	41.7	62.45	47.95	56.4	57.2	
Briggs	25.4	40.55	63,1	55.45	65.9	66.55	
Dandy	24.9*	37.7	58.8	50.05	57.25	66.8	
Ember		40.5	67.6	39.1	58.15	64.3	
HJ98		44.45	66	43.7	59.3	63.7	
Ivan		46.75	70	41.4	47.75	56.6	
Knudson	20.9*	42.05	64.5	49	62.85	60.45	
Norpro	23.1*	44.15	68.7	48.6	45.7	60.35	
Oxen	26.3	43.45	64.7	42.9	59.1	59.55	
Reeder	27	44.55	66.95	45.9	55.1	61.5	
Walworth	26	42.25	63.55	50.15	63.85	60	
			*****	50115	05.05	00	
<u>ND741</u>	27.5	42.55	61.65	51.65	59.7	61.4	
Conventional					•		
Amidon							
Gunner	21.0*	42.35	55.4	40.25	47.85	53.85	
Hanna	23.8*	41.75	59.15	41.5	60.4	65.8	
Ingot	24.2	38.25	61.5	49.15	64.9	58.6	
Keene	28.2	47.2	59.8	48.3	(D. 7		
Keystone	22.6*	40.55	60.5	52.6	61.9	 59.1	
McKenzie	22.3*			52.0	01.9	39.1	
McNeal		==					
Parshall	24.9	40.95	60.45	47.7	62.55	63.35	
Russ	21.2	38.15	61.85	45.95	53	64.45	
LSD .05	4.2	5.2	6.3	7.05	8.75	5.55	

⁽⁾ Number of testing site tested *Tested in one site (Hettinger)

Table 2. Agronomic traits of Steele-ND (ND 741) and selected HRSW cultivars in the 2001and 2002 hard red spring wheat variety trials at North Dakota Agricultural Research Extension Centers.

Variety	Days to	Plant	Lodging	Diseases	Tomb-	Test	Protein	Yeild	1000	Shattering
	Heading	Height	Score		stone	Weight	Conetnt	2002	KW	
	(5)	(11)	(2)	(2)	(1)	(10)	(9)	(10)	(1)	(1)
	days	Inches	0-9	%	%	lbs/bu	%	Bu/ac	Gms	Seeds*
Semi dwarf										
AC Superb	58.0	32.2	3.4	58.5	2.0	58.3	16.1	49.5	29.1	0.3
Alsen	58.3	30.1	2.3	44.3	1.3	60.5	16.3	50.3	28.1	4.0
Briggs	58.2	31.2	2.1	50.5	2.3	60.3	16.0	55.9	30.8	2.8
Dandy	60.0	31.0	1.4	77.5	3.5	60.2	15.2	55.9	28.8	3.0
Ember	57.3	29.9	2.2	64.3	1.3	60.3	14.6	50.5	25.3	0.0
HJ98	61.1	30.0	3.5	76.0	1.8	58.6	14.8	57.7	27.1	0.5
Ivan	64.5	29.7	1.9	41.5	1.5	58.9	14.1	53.8	29.3	0.3
Knudson	59.5	28.3	2.3	32.3	2.0	59.9	15.2	54.1	34.1	0.5
Norpro	59.1	27.6	1.4	42.5	2.8	59.0	15.3	55.4	29.8	1.3
Oxen	59.4	30.7	4.2	79.5	3.3	57.7	15.6	51.9	26.7	1.3
Reeder	57.7	30.8	2.2	42.8	2.5	59.3	15.7	52.9	28.3	1.0
Walworth	56.8	30.1	4.0	65.8	4.3	58.3	15.8	52.6	25.7	0.8
ND741	60.1	32.1	3.1	40.0	1.3	60.4	15.8	54.1	31.9	4.3
Conventional	Ī									
Amidon*						57.8	15.9	37.7		
Gunner	61.3	32.3	3.9	46.0	0.8	60.1	16.5	48.0	23.2	0.0
Hanna	60.5	34.8	3.0	73.5	0.8	59.6	15.4	54.5	29.3	0.3
Ingot	57.1	33.6	2.1	87.5	2.3	61.4	15.9	50.7	25.1	7.3
Keene*	56.0	28.2	2.0	15.0		59.4	16.2	42.8	27.7	
Keystone	58.7	31.6	2.2	70.5	2.0	61.1	14.6	53.8	27.1	3.5
McKenzie*	53.4	27.0		15.0		58.2	16.0	45.5		
McNeal*	51.0	23.8		1.0		56.8	16.1	33.6		
Parshall	58.4	33.3	2.2	50.0	2.5	60.6	16.0	51.6	28.1	0.8
Russ Number of te	59.1	32.6	3.75	83.5	2.8	58.35	15.15	56.5	29	0.8

⁽⁾ Number of testing sites

^{*}Seeds/ft2

Table 3. 2001 Hard Red Spring Wheat Uniform Regional Nursery Summary of Means Across Locations.

Line	Yield	Test Wt.	Heading	Height	Lodging	Protein
	Bu/Ac	Lb/Bu	đ from 6-1-	cm	0-9	%
No. Locations	. 12	15	13	15	4	6
ND740	64.9	60.6	24	77	2.6	13.8
N97-0100	61.5	57.9	26	73	-0.7	14:3
FA900-720	60,6	62.4	27 ·	86	1.5	. 14.0
SD3546	60.1	60.0	24	85	2.8	14.8
SD3540	60.1.	. 59.6	23	84	1.2	14.3
MT9874	59.9	58.0	28	82	1.5	14.1
N97-2627	59.9	58.0	28	82	2.6	14.3
SD3367	59.4	59.4	24 '	. 82	2.6	14.4
2375	59.2	59.9	. 26	. 80	2.6	14.2
SD3496	59.1	59.4	23	85	2.1 - `	14.6
N97-0117	·58.8·	58.5	25 25	. 72	- 1.4	14.6
ND741	58.7	59.3	25	82	3.0 #	15.0)
MN97803_	58.6	59.4	24	., 81	2.6	14.7
SD3506	58.4	60.5	26	. 89	2.1	14.6
ND729	58.4	60.7	26 -	- 94	4.1	14.3
·VERDE	58.4	58.5	28	- 78.	1.6	14.3 .
N96-0055	58.2	59.4	26	74	0.6	14.5
MN97448	58.0	60.0	. 25	. 77 رخ	1.4	14.6
KEENE .	57.9	59.0	27	94	2.4	14.4
MN97063	57.7	58.9	. 28	76	2.0 :	14.3
N97-0189	57. 6	57.2	26	74	2.3	14.2
98S0191-60-8	57.1	57.7	. 27	88	· 3.7	14.3
WA7875	56.8	58.6	24	- , 88	2.2	· 14.0
ND743	55,7	59.5	25	- 88 . ′	2.6	15.7
ND742	55.6	59.6	25	80	1,8	(15.4
RL4958	54.1	56.2	. 25	8.3	. 1.6	15.6
WA7899	54.0	56.7	25	80	3.7	13.0
FA900-793	53.9	· 59.3	23	74 -	0.6	14.8
WA7859	52.8 .	57.8	26	89	2.7	1.4.6
BW270	51.4	58.7	27	95	2.7	15,1
CHRIS	41.7	56.7	28	99	6.0	15.1
MARQUIS .	40.7	56.4	28	100	4.6	14.5
MEAN.	56.9	58.9-	- 26 .	84	- 2.4	14.5
LSD (0.05)	· 4.3 ·	1.4	· 1	· ¹ 3	2.0 · _	0.6

Table 4 Means of the 2002 HRSW Uniform Regional Nursery across locations in ND and SD

No	Variety	Grain Yield	Test Weight	Days to Head	Plant Height	Plant Lodge	Leaf Disease	1000 KWT	Protein
		bu/ac	lbs/bu	· · · · · · · · · · · · · · · · · · ·	·cm	0-9	% flag	gms	%
· 1	2375	39.2	57.6	48.1	69.6	3.7	89.3	26.8	14.8
2	01M88	35.8	55,8	49.9	60.8	1.0	74.0	22.4	13.7
3	01M96	37.9	<u>59.3</u>	46.9	69.1	1.3	52.3	30.2	15.7
4	01M97	34.9	58.2	46.5	68.4	1.0	50.7	27.2	15.9
5	01M98	38.9	56.2	47.4	69.5	2.7	33.3	27.6	15.4
- 6	BW306	33.7	55.4	49.3	74.3	1.7	60.7	32.7	16.1
7	BW313	34.9	55.2	48.2	81.8	2.7	80.0	27.6	16.5
8	CA-901-712	37.5	57.5	45.0	59.9	3.0	65.0	27.5	<u>16.9</u>
. 9	Chris.	26.8	52.8	50.5	134.8	2.7	73.3	23.0	15.9
10	FA-900-720	35.1	58.4	49.7	72.9	1.0	69.3	25.6	14.1
11	HY469	38.6	. 55.8	47.1	62.5	2.0	47.3	30.9	14.8
12	Keene	36.9	56.3	50.0	76.4	1.3	12.3	26.6	15.6
13	Márquis	26.3	54.0	51.3	86.8	3.7	87.3	25.1	14.8
14	MN97695-4	42.1	59.1.	46.8	66.3	1.6	47.7	28.6	15.6
15	MN98389-A	41.8	56.7	47.3	70.7	3.0	. 64.0	28.9	14.9
16	MT9874	31.7	54.6	51.5 . ·	70.0	1.3	66.3	27.7	15.6
17	MT9929	- 38.3 ⋅ ⋅	55.1	49.2	66.6	1.3	42.7	28.7	1.5.6
18	N96-0055	34.4	56.3	49.5	64.2	1.0	74.0	26.3	15.6
. 19	N97-0117	37.7	57.1	48.7	63.0	1.3	20.7	28.1	16.0
20	N98-0286	38,4	54.4	49.7	64.1	1.3	66.0	27.7	15.1
21	N98-0326	40.4	. 55.7	48.3	63.9	. 1.0	64.0	27.8	14.8
22	N98-0328	39.9	55.8	49.2	63.1	1.3	70.0	26.9	14.6
23	N99-0107	39.7	57.9	48.8	72.3	1.7	68.0	25.6	15.2
25	ND741	42.9	58.9	48.2	74.4	1.0	9.3	28.7	15.5
-29	NDSW0246	38.2	578	50.0	79.8	1.3	29.3	29.3	16.2
30	SD3533	42.9	57.8	47.0	73.1	2.0	73.7	26.9	14.7
31	SD3540	43.6	58.3	46.7	72.2·	1.3	60.0	27.8	14.6
32	SD3546	43.7	58.3	48.0	73.4	1.3	49.3	32.3	15.1
33	SD3623	45.8	58,2	47.3	77.9	1.6	, 62.7	29.1	14.4
34	SD3641	44,3	58.2	45.5	69.2	3.0	60.0	27.9	15.0
35	WA007899	29.4	53.9	48.7	68,1	5.3	88.7	25.0	13.8
. 36	WA007914	32.5	55.7	49.3	73.2	1.3	77.7	31.0	14.5
	LSD.05	5.1	1.4	1.5	3.7	0.8	7.6	1.8	0.4

Table 5.

ND741

FIELD PLOT VARIETY TRIALS

NORTH DAKOTA STATE UNIVERSITY AGRICULTURAL EXPERIMENT STATION DEPARTMENT OF CEREAL SCIENCE ANALYTICAL, MILLING AND BAKING DATA HARD RED SPRING WHEAT FARINOGRAM

3 HOUR FERMENTATION

Ĩ	٠									-		-					-				
			}	TEST	_	WE VIT F?	WHT P	PROTEIN 14% MB	v FLR	WET	FLR	PEAK MIX			. MIX		LOAF				
								.•						•							
	LAB	•	YLD	ΨŢ		KER NO	NO N	WHT FLE	RXT.	GLU	ASH	TIME TOL	MTI .		ABS TIME	E	VOL	•	CB	ÇŢ	
	NO	NUMBER	ВРА	LB/BU	GRA	% <u>S</u>	일	% 2001			ð¢			CLASS		2	<u> </u>	G-T		_	ВХМ
	7	ALSEN	UND	61.8	1DNS	91 4	02 15			41	0	0		5.3	8	9		8.1		10.0.10	0.0
	2	PARSHALL	QN	61.9	1DNS	36,06	387 15			41.	5 0.46	7.1 13.	9 33	ъ,	62.8 2.00	9.8		7.8		10.010	0.0
	ო	REEDER	QN	0.09	1DNS	78 4.	24 15			43.	0	თ		5.7	4.1	ď		7.8		0.03	.7
į	Ą	ND741	Q	61,6	1DNS	86 38	87,15	.0 14.	3 69.5	41.	0	0	į	5.7	4.2	10.	1103	7.8	8	10.0 10	10.0
		The second secon	A STATE OF THE PARTY OF THE PAR	Name and Address of the Owner, which the	, carried district		The state of the s										Add Company of the Co	Sandida and the American			}
	Τ,	ALSEN	QN	59.7	1DNS	77 38	382 16	5.1 15.5	.5 69.6	40.					2				N		0.0
•-	7	PARSHALL	•	59.7	1DNS		388 15		.1.69.	40.	9 0.47	m			ಠ.	5		8.2	ω		0.0
	m	REEDER		58.9	1DNS		80 15		.8 68.	40.	0	ın			.9	5			ď		0.0
•	4	ND741		59.4	INS	71 3	94 115	, 6 15.	0 70	0	ં	9.9 24.	1 22	6.8	~	5 9.3	1188	8.3	8	10.0 10	10.0
	-								33									:			
	H	ALSEN	QN		1DNS	87 4(404 15	.0 14:2	,2 69.9	39	0	12.0 19.	8 19	6.9	.9 2.			8,3	9	0	
	7	PARSHALL	ΩN	61.9	1DNS		00 14			6	1 0.42	↲	vo	6.7	65.8 2.4	40 9.9	1096	8.2	8.9	10.0 9.	و.
	m	REEDER	Q		1DNS		07 14			40.	Ö	c n	G	6.1	.5			2.6	<u>_</u>	0	
1	4	ND741	ΩN	,	1DNS	87 4.	13, 15			41	ં	a		9.9	7.2.	-1		8.2	4	þ	
	QN.	NOT DETERMINED							-						-		-				

2001 - average six locations 2002 - average six locations 2003 - average seven locations

Table 6. FIELD PLOT VARIETY TRIALS ND741

NORTH DAKOTA STATE UNIVERSITY AGRICULTURAL EXPERIMENT STATION DEPARTMENT OF CEREAL SCIENCE AND FOOD TECHNOLOGY ANALYTICAL, MILLING AND BAKING DATA

FARINOGRAM

3 HOUR FERMENTATION

	CB CT SYM 8.4 10.0 10.0 8.4 10.0 10.0 8.8 10.0 10.0 7.8 10.0 9.9
	7 8 8 7 7 8 8 7 4 8 8 7 4 8 8 7 1 1 8 8 7 1 1 8 8 7 1 1 8 8 7 1 1 8 1 1 1 1
LOAF	VOL. DO. CC 9.8 1110 9.7 1126 9.8 1126
MIX	ABS TIME % MIN D 65.3 2.40 66.6 2.25 64.7 2.30 64.3 2.00
	CLASS 6.4 6.4 6.3 5.9
	MTI BU CI 27 6 23 6 24 6
PEAK MIX	Time Tol. MIN MIN 10.6 19.5 8.9 18.2 10.8 20.1
FLR	ASH 8 0.48 0.44 0.45
WET	GLU ASH \$ \$ 40.3 0.48 41.2 0.44 40.5 0.45 41.5 0.45
FLR	EXT 8 69.2 70.3 69.1 68.1
PROTEIN 148 MB	WHT FLR 9 8 15.1 15.3 14.6 15.3 14.5 15.1 14.4
WHT VIT FAL	KER NO * SEC 85 396 81 398 88 392 80 404
TEST V	WT KILB/BU 61.0 81.0 861.0 861.2 88651.2 88651.2
	ALD BPA I ND (ND ND N
	VARIETY OR NUMBER ALSEN ND741 PARSHALL REEDER

Average of 19 growing locations

2002 WHEAT QUALITY COUNCIL TRIALS

Summary of Kernel and Milling Characteristics

	sometime in											,	
							Keme	and Milli	ng Charac	teristics			
•					el Srze	1000	Vitreous		- Falling	Wheat	Witeat	Wheat	
	LAB		TW	large	small	kwt	 Kernel 	NIR	Number	Moisture	Protein	Ash	Floor Ext
		Cultivar	lblbu	/6	%:	. 9	%	Hardness	Sec .	9/6	14%mb	14%mb	2%
	.B-1		57.4	69	3	29.6	88.6	72.1	376	15.3	16.0	1.85	69.7
-	B-3	ND 741	58.0	64	4	27.0	95.3	78.3	389 (15.7	16.3	1.85	67.1
	B-4	ND 724	55.8	43	5	26.7	96.3	82.1	378	15,4 .	17.5	1.85	68.4
	B-5	Parshali	57.8	46	10	. 24.9	94,4	63.5	388	15.4	15.8	1.82	64.2
	B-6	BR2238R	55.5	31	15	24.8	82.5	.49.5	394	15.1	15.2	1.75	68.5
	B-7	BR4888	55.5	53	7	27.4	- 65.8	59.2	408	15.0	16.3	1.92	66.1
	B -8	N96-0055	57.4	55	5	25.6	76.4	56.1	394	14.6	15.9	1.94	67.5
	C-1	Grandin	59.6	co	_		- 0.1.				•		
	C-2	MN 97803		60	5	28.0	50.1	62.5	380	10.3	14.2	1.75	71.4
	C-3		60.5	63	4 .	29.1	47.1	54.3	378	11.0	14.9	1.71	71.1
	C-4	ND 741	61.4	59	6	26.7	57.1	60.1	335,	10.6	14.7	1.73	69.1
		ND 724	57.8	52	6	26.3	83.3	63.7	347	11.1	16.4	1.74	70.8
	′C-5	Parshall	.61.8	51	10	26.7	60.6	61.8	385	11.2	14.8	1.79	69.3
	C-7	BR4888	55.4	52	9	26.8	29.1	43.8	325	10.0	14.1	1.86	66.5
	C-8	N96-0055	60,4	65	. 5	27.5	40.1	52.2	352 -	10.9	14.2	1.81	69.3
	K-2	MN 97803	56.2	42	9	25.2	1.9	62.4	252	13.9	13.6	1.86	71.2
	K-5	Parshall	58.6	. 43	12	24.3	60.9	65.2	344 .	14.1	13.9	1.74	70.6
	K-7	BR4888 ~	56.2	52	8	26.0	8.1	49.9	274	13,6	13.9	1.74	70.6 69.2
	K-8	N96-0055	55.7	44	8	24.3	1.1	46.0					
				**		27.0	F. 1	40.0	, 263	13.5	13.2	1.89	69.5
	M-3	ND 741	55.8	42	7	25.1	12.0	53.7	388 -	8.7	15.7	1.55	70.5.
	M-5	Parshall	56.2	31	10	24.4	50.5	66,2	201	9.9	14.8	1.52	70.6
	M-7	BR4888 .	53.6	57	4 .	28.7	1.8	40.4	307	8.7	15.0	1.63	68.1

* B= Brookings, SD C = Cassellon, ND K = Krookston, MN M = Hinot, ND

Table. 8:2002 WHEAT QUALITY COUNCIL TRIALS

Bake Cooperator #9 (ND) (Straight Dough)

	lakelip -	Y, Offy, &	ī							-	,			F	-		1						1	
	e វេសិរត្វា ១៥០០ mixer and al makely	THE THE STREET STREET, WEEK, BUCKY, CHA	At Makeup	v. good	sl. bucky	sl. bucky	st. bucky	v, bucky	bucky bucky	•	v. good	v. good	v. good	v. good	good	good	pood	v. good	v. good	v. good	v, good	30	al. Ducky	sl.bucky good
-	ibe dough out t	The transfer of the property o	livilxel	50d	50d	cky	ood -	. DG	iry Iry	7		. ack)OC	ت	3CK)	2	ack	쥿	ak	ak ·	•		ž c
	0000				-		-		st. strcky st. dry	į	good	s. slack	v. good	good .	si slack	sl. stack	5	si. Slack	sl. slack	sl. weak	sl. weak) Julius		si. Siack good
-	D (E)		2007	4.45 7.70	0,4	00.0 10.00	4.75	4.00 5.00 6.00 7.00	4,25	-	10.4 10.0 10.0	02/0	4.00	62.4	3.75	3,50 4,00	2	3,25	3,50	3.25	3.75	4 50	70 1	3.75
ī	Crumb Fexture		866	j (0,0) C	0.4	~	o c) <) 1) q	4, c	7. O	ì	2,0	5.0	4.0	4,0	2.0	L L	4.0
	GEATH GEATH		223	o c	2 6	0 4) (כי כי	4.0	0	o c		2 0			5, O		20	O	4.0	4.0	2,0	2	4.0
	CTUTA			4 G) u	s r	. A	5.0	. 0.4	e c	o ⊂ o ≪	2 0) r	0 0	о 0. го		0,9	0,4 0,0	5.0	0. 4	3.0	24	4.0
-	Loat Volume	Aetual Rating (cc) Score-	4.0	ر بر	0 0) d	, 4	5.0	5.0	70	2 4	0.00	5 2	5 4) C	4.0	1		0.0	4. r	0. O.	5.0	4.0	4.0
	4 o			1155	1975	1007	1090	1125	1135	1125	1060	. 1135	1175	1075	1050	1025		50.50	1100	2000	3 .	1190	1085	1025
	Tolerance	Rating	6.0	9	9	9	6.0	0.9	6.0	ئ <u>ۃ</u> 0	4.0	5,0	5.0	L LC	. ∟	0.0		4, z) (4, rd D) C	o,	6.0	6:0	5.0
	Tole	Actual (min)		31.5	24.0	35.5	42.0	24.0	43.0	. 17.0	14.5	18.0	19.0	16.5	16.0	, 25.0			, c) 	40,0	34.5	17.5
П	мака Міх Тіте	Rating Ad Score in	3.0	3.0	3.0	3,0	4.0	3.0	3.0	3.0	3.0	3,0	3.0	3.0	3.0	4.0	c œ) c	; c) c) .)	3.0	· 4. 0	3.0
α		Actual (min)	2,75	2.50	3,00	3,00	4.25	3.00	3.00	2,75	2.25	2.75	2.50	. 2.75	3,00	3.50	2 50	2.75	275	275	i	3,00	3,50	3.00
Raka	Absorption	Aptual Rating (%) Score	4.0	5.0	5.0	4,0	2.0.	4.0	3.0	3.0	2.0	3.0	4.0	3.0	2.0	2.0	_	2.0	o i c) () i	i i	4.0	3.0	3.0
Œ	Absc	Actual (96)	62.5	65,3	65.7	62:4	58.5	62.9	61.7	60.4	59.6	61.3	62.1	60.3	58,9	59.0	57.7	58.7	58.4	58.5	, .	63.0	60.7	61.2
,) Cultiver	Grandin	ND 741	ND 724	Parshall	BR2238R	BR4888	N96-0055	Grandin.	MN 97803	ND 741	ND 724	Parshall	BR4888	N96-0055	MN 97803	Parshall	BR4888	N96-0055		ND 741	Parshall	BR4888
		Cab ID	m E	B3	B4.	B5	B6	B7	B8	δ.	S	3	Q	CS	C2	80	<u> </u>	ζ 5	፟፟፟	87		M3	CIA I	M17

DEPARTMENT OF CEREAL AND FOOD SCIENCES

BAKING PROPERTIES Table 9 &

ND 741 2002 WQC Samples

Wheat Protein 16.0	
Overall Bake Rating Score 4.3	~
Grumb Texture Rating Score 4	7
Grumb Grain Rating Score 4 4	2.5
Crumb Color Rating Score 5 4	
Loaf Volume Actual Rating (co) Score 1100 4 1125 5	
Mix Tolerance Actual Rating (min) Score 34.0 6 17.0 5	
Bake Mix Time Actual Rating (min) Score 2.75 3 2.75 3 2.75 3	
Bake Absorption Actual Rating (min) score 62.5 4 60.4 3 61.5 3.5	
Sample ID Grandin	

15.8 14.8 14.8	16.3
4.8 3.9 4.2	5.0 4.0
5 4 4.7	8 4 %
5 4 4 7.1	9 4 6
2 2	
5 6 5 7 7 5 5.3	4 8 8
1225 1075 1085 1128 4	1155 5 1135 6 1190 5
ර ය ය ර ය යි.	0 to 0
35.5 16.5 34.5 28.83	31.5 18.0 40:0
3,33	0 0 0 0
3.00 2.75 3.50 3.08	2.50 2.75 3.00 2.8
60.3 3 60.7 3 60.1 1 3.3	65.3 .5 61.3 3 63.0 4 63.2 4.0
	5 741 65 61 61 63 63

LOCATIONS Brookings Casselton Minot

Rating scale; 1 to 6

Table to a ND 741/ND 751: Reaction to Scab

Summary: 2001-2003

Line		FHB %
ND 741 ND 751	6 trials 6 trials	35.5 31.7
Alsen 2375	7 trials 6 trials	39.7
2398	7 trials	72.6

Table 11:

Summary of reactions to the natural population of wheat leaf rust in nurseries at Fargo, Carrington, and Langdon.

Wheat Line	2002	2001	2000	1999
B/W (check)	S	S	S	S
ND724	R, tMR, tMS			R, tMR
ND741	R, tMR	R, tMR	R, tMS	
	-	•		
Keene (R check)	R.	R	R	R

S = susceptible

R = resistant

tMR = trace levels of moderately resistant reactions. MR reactions appear as small sporulating pustules, usually surrounded by necrosis.

tMS = trace levels of moderately susceptible reactions. MS reactions typically are surrounded by chlorosis and are larger than those of the MR type.

Table 12%

Composite seedling and adult plant reactions of HRSWs to two "T" races of the wheat leaf rust fungus in the greenhouse trials over two years.

Line	Seedling reaction	Flag leaf reaction
Thatcher (check)	S	S
ND724	R, MR	R, MR
ND741	MR, MS	MR, MS
Alsen	MS, S	MR, MS

S = susceptible

R = resistant

MR = small sporulating pustules, usually surrounded by necrosis.

MS = medium-sized sporulating pustules, usually surrounded by chlorosis.

Multiple reaction types are common on a single leaf. The predominant reaction is listed first (usually R) and the secondary reaction type (less common) is listed next.

Table 13:

Reaction of ND741 to Septoria nodorum in the field and in the greenhouse. Disease evaluations were on a scale of 1 (resistant) to 5 (susceptible).

Line	Field Reaction	Greenhouse Reaction	. Toxin Reaction	Overall Evaluation
Alsen	.5	5	Sensitive	S
ND741	5	4	Sensitive	S
Erik (check)	1-2	. 1	Insensitive	R-MR

Reaction of ND741 to *Pyrenophora tritici-repentis* (tan spot) in the field and in the greenhouse. Disease evaluations were on a scale of 1 (resistant) to 5 (susceptible).

Line	Field Reaction	Greenhouse Reaction	Toxin Reaction	Overall Evaluation
Alsen	5	5	Sensitive	S
ND741	3	2-3	Insensitive	MS/MR
Erik (check)	1-2	1	Insensitive	R .,

REPRODUCE LOCALLY. Include form number and edition date on a	ill reproductions. F	ORM APPROVED - OMB No. 0581-005	
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	Application is required in order to det certificate is to be issued (7 U.S.C. 2:		
EXHIBIT E	confidential until the certificate is issu		
STATEMENT OF THE BASIS OF OWNERSHIP		,	
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME	
NDSU Research Foundation	OR EXPERIMENTAL NUMBER	'Steele-ND'	
	ND741		
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	and No., or R.F.D. No., City, State, and ZIP, and Country) 5. TELEPHONE (Include area code) 6. FAX (Include area code)		
C/O Executive Director	701-231-8931	701-231-6661	
PO Box 5002			
Fargo, ND 58105	7. PVPO NUMBER		
	2004 00 188		
8. Does the applicant own all rights to the variety? Mark an "X" in the	ne appropriate block. If no, please expla	in. YES NO	
0 In the applicant (individual or company) a LLC policed as LLC.	0.11		
9. is the applicant (individual or company) a U.S. national or a U.S. t	based company? If no, give name of co	ountry. YES NO	
10. Is the applicant the original owner?	NO If no, please answer one	of the following:	
g. If the original rights to parioty more surred by fadicity (//)	(2.2.) He are to be at 1.2.	14.10	
a. If the original rights to variety were owned by individual(s), is YES YES	NO If no, give name of countr		
h. If the original rights to variety were owned by a servery (i.e.)			
b. If the original rights to variety were owned by a company(ies)	NO If no, give name of countr		
11. Additional explanation on ownership (Trace ownership from original contents)		everse for extra space if needed):	
See additional exhibit E - Statement of the Basis of the Applic	cant's Ownership.		
PLEASE NOTE:			
Plant variety protection can only be afforded to the owners (not licens	sees) who meet the following criteria:		
1. If the rights to the variety are owned by the original breeder, that p	erson must be a U.S. national, national	of a UPOV member country, or	
national of a country which affords similar protection to nationals o	f the U.S. for the same genus and speci-	es.	
If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a genus and species.	yed the original breeder(s), the company country which affords similar protection t	must be U.S. based, owned by o nationals of the U.S. for the same	
3. If the applicant is an owner who is not the original owner, both the	original owner and the applicant must m	eet one of the above criteria.	
The original breeder/owner may be the individual or company who did Act for definitions.	rected the final breeding. See Section 4	1(a)(2) of the Plant Variety Protection	
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, control number. The valid OMB control number for this information collection is 0581-0055, including the time for reviewing the instructions, searching existing data sources, gathering a	The time required to complete this information collec-	tion is estimated to average 0.1 hour per response	
The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and a marital or family status, political beliefs, parental status, or protected genetic information. (Ni communication of program information (Braille, large print, audiotape, etc.) should contact U.	int all prohibited hases apply to all programs \. Porson	e with dieabilitiae who require alternative means for	
To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-4 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.	W, Whitten Building, 14th and Independence Avenue,	SW, Washington, D.C. 20250-9410 or call (202)	

ST-470-E (10-02) designed by the Plant Variety Protection Office using Word 2000

EXHIBIT E - STATEMENT OF THE BASIS OF THE APPLICANT'S OWNERSHIP

Dr. Mohamed Mergoum, an employee of the North Dakota Agricultural Experiment Station and North Dakota State University, is a plant breeder who developed "Steele-ND" the hard red spring wheat cultivar for which Plant Variety Protection is herby sought. The employee by agreement and because of the condition of the use of facilities and funds of the North Dakota Agricultural Experiment Station and North Dakota State University has assigned all ownership rights to "Steele-ND" hard red spring wheat to the North Dakota Agricultural Experiment Station and North Dakota State University.

North Dakota State University on behalf of the North Dakota Agricultural Experimental Station has assigned all ownership to the NDSU Research Foundation. The NDSU Research Foundation is a nonprofit corporation set up to own and manage the intellectual property of North Dakota State University